

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

72.23

1932-3

LIBRARY
RECEIVED
★ OCT 19 1932 ★
U. S. Department of Agriculture.

CHOICE WILD PLANTS

Collected From Their Native Haunts, Or Grown By

HOPEDALE NURSERIES

J. W. Griesemer, Prop.

Hopedale, Ill.



Helianthus

Our collectors are located advantageously and can secure almost any native plant for us, if we have the order in time to locate and get the plants.

We operate a general nursery of over 40 acres in actual nurseries, have extensive shaded beds to grow shade plants, and have been in the business here 37 years. We are not unknown in the trade, and number among our Wild Plant Customers, many—very many nationally known men and women. Wild Plants are more and more in demand with the more cultured. It is a growing business.

In many items, especially shrubs, but also many perennials and others, we are able to do heavier plants in nursery grown material. In some items 1 yr. seedlings. Ask for prices. Also ask for 1932 retail list on nursery grown material. It lists very many of the more regularly nursery grown perennials. Hundreds of car loads in trees, evergreens, shrubs, vines and perennials.

It is necessary to revise our list again, account of the changing source of supply in sorts and quantities. Many items we are able to lower in price, some we are omitting.

I want to thank you for the splendid business in the past, and tell you how very much I enjoy doing business with you. Lovers of Wild Plants are surely a mighty fine lot of people. So long as my health permits (I am 68 years 'young'), I hope to continue doing business with you, to our mutual benefit and pleasure.

TERMS.

5 of a sort at 10 rates. 50 at 100 rates. 500 at 1,000 rates. If thousand or more are wanted in any item, or items, send list of wants for special quotations. Packing free, unless crating of tops is necessary on out of season shipments. Crating would be added at cost.

10 days to responsible parties. 30 days to dealers, nurserymen and landscapists. Dealers are entitled to reasonable reductions from these prices on 100 and 1,000 lots. Write for net prices.

Don't fail to note heavy *Price Reductions* in keeping with the times. NOW is the time to buy.

Prices f. o. b. Hopedale, or point of collection. Larger lots are shipped directly from collectors to customers. All goods travel at purchaser's risk and expense. If wanted by Parcel Post be sure to send



Columbine

enough to cover same. If too much is sent, it will be returned promptly.

DISCOUNTS—We offer worthwhile discounts for cash with order on orders \$10.00 up, also on large lots. This varies in accordance with amount of order, sort of stock ordered, availability of stock wanted, our needs for cash at the time, etc. Ask for discount on larger orders. Revised prices are so low we cannot offer a flat rate of discount and be fair with our customers and ourselves.

GUARANTEE—We do not guarantee plants to grow, or produce results. WE DO guarantee all plants to be in prime condition, well packed to reach destination in good order, if not unduly delayed in transit. WE WANT to correct any mistake in grade, count or packing.

SEEDS—We can collect seeds of many of these sorts, if ordered before they ripen. We do not collect many sorts to store.

EXPLANATIONS.

To help our customers in making selections, we name first, the Botanical names. Next the most usual common name. It must be remembered that common names vary with almost each community. Botanical name is same everywhere. Next "Where it Grows" (in nature) to help you know where to plant. "Sun-Sods" means the plant is found in dense sod in the open sun, etc. Next "Color of Flowers." Last, "Time of Bloom," to help arrange flowering season. Remember time is for this latitude. (40½ N.)

PERENNIALS

| Botanical name | Common name | Where it grows | Color of flower | Time of bloom | Each | 10 | 100 | Where Native |
|--|-------------|----------------|-----------------|---------------|-------|--------|---------|--------------|
| <i>Achillea millefolium</i> , Yarrow, sun-sods, white, June-Aug. ----- | | | | | \$.10 | \$.50 | \$ 3.00 | Here |
| <i>Acorus calamus</i> , Sweet Flag, bogs, yellow, June ----- | | | | | .15 | .60 | 4.00 | Here |
| <i>Actaea alba</i> , White Baneberry, shade-ravines, white, May ----- | | | | | .20 | .80 | 6.00 | H&M. |
| <i>Actaea rubra</i> , Red Baneberry, shade-ravines, May-June ----- | | | | | .25 | 1.00 | 7.50 | M.&S.D. |
| (Both berries somewhat poison) | | | | | | | | |
| <i>Allium canadense</i> , Wild Meadow Garlic, damp places, white, July ----- | | | | | .10 | .50 | 2.50 | Here |
| <i>Allium cernuum</i> , Nodding Wild Onion, damp shade, pink, June-July ----- | | | | | .15 | .60 | 5.00 | Here |
| <i>Amorpha canescens</i> , Lead Plant, open sun, violet, July ----- | | | | | .15 | 1.00 | 6.00 | Here |
| <i>Anemone canadense</i> , White Anemone, open sun, white, May-July ----- | | | | | .10 | .60 | 4.00 | Here |
| <i>Anemone cylindrica</i> , Thimble Weed, anywhere, white, July-Aug. -- | | | | | .15 | .75 | 6.00 | H&I. |
| <i>Anemone quinquefolia</i> , Wood Anemone, part shade, white, May-June ----- | | | | | .10 | .50 | 4.50 | Ind. |
| <i>Anemone virginica</i> , Tall Anemone, open woods, white, June-Aug. ----- | | | | | .15 | 1.00 | 5.00 | Ind. |
| <i>Anemonella thalictroides</i> , Rue Anemone, woods, white, April-June ----- | | | | | .15 | .65 | 5.00 | HI.&M. |
| <i>Aplectrum hyemale</i> , Putty Root, rich shade, yellow-purple June ----- | | | | | .20 | 1.75 | | H&Ind. |
| <i>Aquilegia canadensis</i> , Wild Columbine, anywhere, yellow-red, May-July, Light plants ----- | | | | | .10 | .60 | 4.00 | HI.&M. |
| 2 Yr. plants ----- | | | | | .15 | 1.00 | 6.00 | |
| XX Plants ----- | | | | | .25 | 1.50 | 12.00 | |
| <i>Aralia nudicaulis</i> , Dwf. Spikenard-woods, Green-white, May-June ----- | | | | | .15 | 1.00 | 7.00 | Mich. |
| <i>Aralia racemosa</i> , Spikenard, ravines, white, June ----- | | | | | .20 | 1.50 | 10.00 | HI.&M. |
| <i>Arctostaphylos</i> , Dragons Mouth, bogs, rose-purple, May-June ----- | | | | | .30 | 2.50 | 10.00 | W.&M. |
| <i>Arisaema dracontium</i> , Dragon Leaved Indian Turnip, open woods, green-purple, May ----- | | | | | .15 | .70 | 6.00 | Here |
| <i>Arisaema triphyllum</i> , Indian Turnip, open woods, green purple, May ----- | | | | | .10 | .50 | 4.00 | Here |
| <i>Aristolochia serpentaria</i> , Virginica Snakeroot, open shade, white, June-July ----- | | | | | .20 | 1.25 | | Here |
| <i>Artemisia serrata</i> , Dusty Miller, sun, greenish yellow, August -- | | | | | .10 | .60 | 4.00 | Here |
| <i>Asarum canadense</i> , Wild Ginger, rich shade, violet, April-May ----- | | | | | .10 | .50 | 4.00 | Here |
| <i>Asclepias incarnata</i> , Swamp Milkweed, open flats, pink-lilac, July-September ----- | | | | | .15 | 1.00 | 6.00 | Here |
| <i>Asclepias purpurascens</i> , Purple Milkweed, dry waste, purple, June-August ----- | | | | | .15 | 1.25 | 7.00 | Ind. |
| <i>Asclepias rubra</i> , Red Milkweed, open sun, red, July ----- | | | | | .20 | 1.50 | | Here |
| <i>Asclepias syriaca</i> , Common Milkweed, fields, lead-lavender, June-August ----- | | | | | .15 | .80 | 5.00 | Here |
| <i>Asclepias tuberosa</i> , Butterfly Weed, sun-sod, yellow-red, July-September ----- | | | | | .25 | 1.50 | 8.00 | Here |
| <i>Asclepias verticillata</i> , Whorled Milkweed, sun-sods, white, July-August ----- | | | | | .10 | .50 | 3.00 | Here |
| <i>Asclepias assorted</i> , sun-sods, August-September ----- | | | | | | .60 | 4.50 | Here |
| <i>Aster cordifolius</i> , Wood Aster, woods, Violet-Blue, Sept.-Oct. -- | | | | | .15 | .50 | 4.00 | Here |
| <i>Aster novae angliae</i> , New England Aster, sun-sod, purple, July-September ----- | | | | | .15 | 1.00 | 6.00 | Here |
| <i>Aster sagittifolius</i> , Arrow Leaved Aster, sun-sod, blue, September-October ----- | | | | | .15 | .60 | 5.00 | Here |
| <i>Aster Lar. Sky Blue</i> , Aug.-Oct., anywhere ----- | | | | | .15 | .75 | 6.00 | |
| <i>Aster assorted</i> , sun-sods, August-September ----- | | | | | | .50 | 4.00 | Here |
| <i>Baptisia australis</i> , Blue False Indigo, open sun, blue, June-July ----- | | | | | .15 | 1.00 | 8.00 | Here |
| <i>Baptisia bracteata</i> , Bracted False Indigo, open-sun, yellow, May-June ----- | | | | | .20 | 1.25 | 8.00 | Here |
| <i>Baptisia leucantha</i> , Delicate White False Indigo, sun-sod, white July ----- | | | | | .15 | 1.10 | 8.00 | Here |

| Botanical name | Common name | Where it grows | Color of flower | Time of bloom | Each | 10 | 100 | Where Native |
|--|-------------|----------------|-----------------|---|------|------|-------|--------------|
| Baptisia tinctoria, Yellow Wild Indigo, open borders, yellow, June-September | | False | Indigo | open borders, yellow, June-September | .20 | 1.25 | | Here |
| Belamcanda chinensis, Blackberry Lily, anywhere, yellow, July-September | | Lily | anywhere | yellow, July-September | .15 | 1.00 | 8.00 | Ind. |
| Calla palustris, Wild Calla, Marshes, white, Aug.-Sept. | | | | white, Aug.-Sept. | .20 | 1.50 | 10.00 | Wisc. |
| Callirhoe triangulata, Clustered Poppy Mallow, dry-sandy, purple, August-September | | | | purple, August-September | .15 | 1.00 | 6.00 | Here |
| Caltha palustris, Marsh Marigold, bogs, yellow, April-May, 1 to 3 plant clumps | | | | yellow, April-May, 1 to 3 plant clumps | .15 | 1.00 | 5.00 | Mich. |
| 4 to 6 plant clumps | | | | | .25 | 2.00 | 10.00 | |
| Camassia quamash, Wild Hyacinth, rich, open places, light blue, April-May | | | | light blue, April-May | .15 | 1.00 | 8.00 | W.M.&I. |
| Campanula rapunculoides, False Rampion, open spaces, purplish blue, July-September | | | | purplish blue, July-September | .15 | 1.20 | 6.00 | N.Y. |
| Campanula rotundifolia, Harebells, anywhere, blue, July-Oct. | | | | blue, July-Oct. | .15 | 1.00 | 6.00 | W.M.&I. |
| Carex plataginea, Plantain Leaved Carex, rich shade, purple, April-May | | | | purple, April-May | .15 | .75 | 5.00 | Here |
| Caulophyllum thalictroides, Blue Cohosh, ravines, white, May | | | | white, May | .20 | 1.00 | 6.00 | H&M. |
| Chelone glabra, Turtle Head, wet places, white, July-Sept. | | | | white, July-Sept. | .15 | .80 | 6.00 | H&N.C. |
| Chelone lyonii, Pink Turtle Head, swamps, purple, Aug.-Oct. | | | | purple, Aug.-Oct. | .20 | 1.00 | | I.&N.C. |
| Chichorium intybus, Common Chicory, roadside, blue, July-Oct. | | | | blue, July-Oct. | .15 | 1.00 | 6.00 | Here |
| Chimaphila umbellata, Princess Pine, dry woods, white-pink, June-August | | | | white-pink, June-August | .15 | 1.00 | 4.50 | Mich. |
| Chrysanthemum leucanthemum, Oxeyed Daisy, anywhere, sun, white, August-October | | | | white, anywhere, sun, white, August-October | .10 | .60 | 4.00 | Here |
| Cimicifuga americana, Am. Bugbane, hillsides, Wh. May-June | | | | Wh. May-June | .15 | 1.25 | 7.50 | Here |
| Cimicifuga racemosa, Black Cohosh, open shade, white, June-July | | | | white, June-July | .20 | 1.50 | 8.00 | N.C. |
| Clintonia virginica, Spring Beauty, open shade, pink, April-May | | | | pink, April-May | .10 | .50 | 4.00 | Here |
| Clintonia borealis, Yellow Clintonia, shade, yellow, May-June | | | | yellow, May-June | .15 | .75 | 4.50 | N.C.M.&I. |
| Convallaria majalis, Lily of the Valley, part shade, white, May-June | | | | white, May-June | .10 | .50 | 2.50 | Here |
| Coreopsis, assorted, not botanized. Damp borders, yellow, Aug.-Oct. | | | | yellow, Aug.-Oct. | .15 | .75 | 6.00 | Here |
| Cornus canadensis, Dwarf Cornel, open woods, white, May-July | | | | white, May-July | .20 | 1.50 | 10.00 | Mich. |
| Cypripedium acaule, Brown Ladyslippers, upland, brown, May | | | | brown, May | .20 | 1.50 | 10.00 | M.N.C.&V.T. |
| Cypripedium parviflorum, Smaller Yellow Ladyslippers, bogs, yellow, May-July | | | | yellow, May-July | .20 | 1.60 | 11.00 | Mich. |
| Cypripedium pubescens, Large Yellow Ladyslipper, upland, hills, yellow, May | | | | yellow, May | .20 | 1.60 | 12.00 | Mich. |
| Cypripedium spectabile, Showy Ladyslippers, bogs, pink, May | | | | pink, May | .25 | 2.00 | 15.00 | Mich. |
| All Cypripediums are sold by the flowering buds. If PLANTS are wanted instead of buds, be sure to state so. You will be billed by the number of flowering buds the plants contain. | | | | | | | | |
| Delphinium tricornis, Dwarf Larkspur, sun or shade, dark blue, May-June | | | | dark blue, May-June | .15 | .75 | 6.00 | H&I. |
| Dicentra canadensis, Squirrel Corn, deep shade, pinkish, white, April-May | | | | pinkish, white, April-May | .10 | .40 | 3.00 | H&M. |
| Dicentra cucullaria, Dutchman Breeches, deep shade, white, April-May | | | | white, April-May | .15 | .60 | 4.00 | Here |
| Dicentra eximia, Wild Bleeding Heart, anywhere, deep pink, May-Frost | | | | deep pink, May-Frost | .20 | 1.50 | 12.50 | N.C. |
| Dodecatheon media, Shooting Star, sun-sod, pink, May-June | | | | pink, May-June | .15 | .75 | 5.00 | H&I. |
| Echinacea angustifolia, Purple Cone Flower, dry gravelly, purple, June | | | | purple, June | .15 | 1.00 | 7.00 | Here |
| Echinacea purpurea, Garden Purple Cone Flower, rich soil, purple-crimson, June-frost | | | | purple-crimson, June-frost | .15 | 1.00 | 7.00 | Here |
| Epilobium angustifolium, Great Willow herb, dry soils, purple, early | | | | purple, early | .10 | .75 | 6.00 | Mich. |
| Equisetum hyemale, Scoring rush, sunny places, green-yellow, May-June | | | | green-yellow, May-June | .10 | .50 | 4.00 | Here |
| Eryngium aquaticum, Button Snake Root, sun-sod, white, July | | | | white, July | .15 | .60 | 5.00 | Here |
| Erythronium albidum, White Adders Tongue, shade, April-May | | | | shade, April-May | .10 | .75 | 6.00 | Here |
| Erythronium americanum, Yellow Adders Tongue, shade, April-May | | | | shade, April-May | .10 | .75 | 6.50 | Mich. |
| Eupatorium coelestinum, Mist Flower, anywhere, blue-purple, July-Sept. | | | | blue-purple, July-Sept. | .15 | 1.00 | 5.00 | H&I. |
| Eupatorium maculatum, Spotted Joe Pye Weed, moist places, sun, pink-purple, Aug.-Sept. | | | | pink-purple, Aug.-Sept. | .25 | 1.25 | 10.00 | Here |
| Eupatorium perfoliatum, Boneset, wet places, white, July-Aug. | | | | white, July-Aug. | .15 | 1.00 | 7.50 | Here |
| Eupatorium purpureum, Joe Pye Weed, open shade, purple, July-Sept. | | | | purple, July-Sept. | .15 | 1.00 | 6.00 | Here |
| Eupatorium urticaefolium, White Snake Root, open shade, white, Sept.-Nov. | | | | white, Sept.-Nov. | .10 | .75 | 4.00 | Here |
| Euphorbia corollata, Flowering Spurge, open sun, white, July-Sept. | | | | white, July-Sept. | .15 | .80 | 6.00 | Here |
| Euphorbia cyparissias, Cyprus Spurge, sun yellow, June | | | | sun yellow, June | .10 | .50 | 4.00 | Here |
| Filipendula rubra, Pink Meadowsweet, Prairie, damp sun, June-July | | | | damp sun, June-July | .15 | 1.00 | 6.00 | Here |
| Gentian andrewsii, Closed Gentian, damp sun, blue-pink, August-October | | | | blue-pink, August-October | .15 | 1.00 | 6.00 | M.Vt.&N.Y. |
| Gentian saponaria, Soapwort, damp soil, light blue, August-Oct. | | | | light blue, August-Oct. | .15 | 1.00 | 8.00 | Ind. |
| Geranium maculatum, Crane's Bill, anywhere, pink, May-June | | | | pink, May-June | .10 | .60 | 4.50 | Here |

| Botanical name | Common name | Where it grows | Color of flower | Time of bloom | Each | 10 | 100 | Where Native |
|--|---|--------------------------------|-----------------|---------------|------|------|-------|--------------|
| Habenaria dilatata, White Bog | Habenaria | bogs, white, June-Sept. | | | .20 | 1.25 | 6.50 | Mich. |
| Habenaria psycodes, Purple Fringed | Habenaris | wet places, lilac, July-August | | | .25 | 2.00 | 15.00 | Wisc. |
| Helianthus giganteus, Tall Sunflower, | sun-sod, yellow, September-October | | | | .15 | 1.00 | 6.00 | Here |
| Helianthus mollis, Hairy Sunflower, | sun-sod, yellow, July-Sept. | | | | .15 | 1.25 | 7.00 | Here |
| Helianthus tuberosa, Artichoke, Waste, | sunny places, yellow, Aug.-Oct. | | | | .15 | 1.00 | 6.00 | Here |
| Helianthus, assorted, sun-sod, yellow, | July-Nov. | | | | .15 | 1.00 | 6.00 | Here |
| Hepatica acutiloba, (Evergreen) deep | shade, pink, April-May | | | | .10 | .40 | 1.50 | Here |
| 1 to 2 plant clumps | | | | | .20 | .80 | 3.50 | |
| 3 to 4 plant clumps | | | | | .25 | 1.50 | 9.00 | |
| 5 to 6 plant clumps | | | | | .30 | 2.00 | 15.00 | |
| 7 to 10 plant clumps | | | | | | | | |
| Heuchera americana, Alum Root, dry-rocky | woods, greenish white, May-August | | | | .10 | .75 | 4.00 | Ind. |
| Hieracium aurantiacum, Orange or Tawny | Hawkweed, waste places, orange-red, June-Sept. | | | | .15 | 1.00 | 6.00 | Mich. |
| Houstonia caerulea, Bluets, moist places, | blue, May, small clumps | | | | .10 | .75 | 5.00 | Vt.&Mich. |
| Hydrastis canadensis, Golden Seal, rich | shade, green, white, May | | | | .10 | .60 | 4.50 | Here |
| Hypericum cistifolium, Round Padded St. | John's Wort, sun, yellow, July-August | | | | .10 | .60 | 4.00 | Here |
| Inula helenium, Elecampane, waste places, | yellow, July-Sept. | | | | .20 | 1.50 | 10.00 | Here |
| Iris cristata, Crested Mt. Iris, shade, blue, | April-May | | | | .10 | .80 | 6.00 | N.C. |
| Iris cristata lacustris, Dwarf Lake Iris, | water edge, or shade, blue, May | | | | .15 | 1.00 | 7.00 | Mich. |
| Iris, German, 20 colors, May, excellent | sorts | | | | .15 | 1.00 | 5.00 | Nur. |
| Iris pumila, Dwf. Blue Iris, borders, sun, | April-May | | | | .10 | .60 | 4.50 | Nur. |
| Iris pumila Dwf., sky blue iris, April-May | | | | | .15 | 1.00 | 7.50 | Nur. |
| Iris pumila, dark blue, large flowering, | fragrant | | | | .15 | 1.00 | 8.00 | |
| Iris pumila alba, Dwf. White Iris, May | | | | | .15 | 1.00 | 7.00 | Nur. |
| Iris pseudocorus, Wild Yel. I., Yel., May-June | | | | | .15 | 1.00 | 8.00 | |
| Iris pumila sulphurea, Dwarf Yellow Iris, | May | | | | .15 | 1.00 | 6.00 | Nur. |
| Iris siberica (or Spanish), deep blue and | snow white, May | | | | .15 | 1.00 | 6.00 | Nur. |
| Iris verna, Dwarf Iris, hillsides, shade, | violet-blue, April-May | | | | .15 | 1.00 | 5.00 | N.C. |
| Iris versicolor, open sloughs, blue, May | | | | | .15 | .75 | 5.00 | Here |
| Iris pumila, dark blue, Large, frag. | | | | | .15 | 1.00 | 8.00 | |
| Isopyrum biternatum, False Rue Anemone, | rich shade, white, April-May | | | | .10 | .50 | 4.00 | Here |
| Jeffersonia diphylla, Twin Leaf, rich | shade, white, May-June | | | | .15 | 1.00 | 7.50 | Ind. |
| Krigia virginica, Cyntha, open woods, | yellow, June-July | | | | .15 | 1.00 | 7.00 | H&I. |
| Lepachys pinnata, Gray Headed Cone | Flower, sunny roadsides, yellow, rays, June-Sept. | | | | .15 | 1.00 | 5.00 | Here |
| Lespedeza frutescens, Bush Clover, dry | soil, pinkish, purple, Aug.-Sept. | | | | .15 | 1.00 | 7.00 | H&I. |
| Liatris pycnostachya, Kansas Gay | Feather, reddish purple, rich soil, July-August | | | | .15 | 1.00 | 7.00 | Here |
| Liatris scariosa, Button Blazing Star, | sun, dry, purple, Aug.-Sept. | | | | .10 | .75 | 5.00 | Here |
| Lilium canadensis, Wild Canadian Lily, | anywhere, yellow, June-July | | | | .20 | 1.50 | 10.00 | N.H.&Here |
| Lilium philadelphicum, Wood or Wild | Red Lily, open shade, red-yellow, June | | | | .15 | 1.00 | 7.00 | Mich. |
| Lilium superbum, Turks Cap Lily, | meadow, yellow, June-July | | | | .20 | 1.75 | 12.00 | N.H.Minn&H |
| Lithospermum angustifolium, Narrow | Leaved Puccoon, dry soil, bright yellow, April-July | | | | .15 | 1.00 | 7.50 | Ind. |
| Lithospermum canescens, Puccoon, | open sun, yellow, May-June | | | | .15 | .80 | 6.00 | Here |
| Lithospermum carolinensa, Hairy | Puccoon, South hillsides, yellow, May-June | | | | .15 | .75 | 6.00 | H&I. |
| Lobelia cardinalis, Cardinal Flower, | moist-rich soil, cardinal, July-Sept. | | | | .10 | .75 | 6.00 | M.N.C&H. |
| Lobelia siphilitica, Great Blue | Lobelia, moist soil, blue, July-Oct. | | | | .10 | .75 | 6.00 | Here |
| Lupine perennis, Blue Lupine, dry-sandy | soil, blue, May-June | | | | .20 | 1.50 | 9.00 | Ind. |
| Marrubium vulgare, Horehound, waste | places, white, June-August | | | | .15 | .50 | 4.00 | Here |
| Medeola virginica, Indian Cucumber | Root, shaded, hillsides, green-yellow, Sept. | | | | .10 | .60 | 4.50 | Mich. |
| Melanthium virginicum, Bunch | Flower, sun-sod, white, July | | | | .15 | .80 | 6.50 | Here |
| Mentha piperita, Peppermint, moist, | rich soil, white, May | | | | .10 | .50 | 3.00 | Here |
| Mentha spicata, Spearmint, moist, | rich soil, white, May | | | | .15 | .50 | 3.00 | Ind. |
| (Ask for prices on large lots for commercial plantings in Mints) | | | | | | | | |
| Mertensia virginica, Blue Bells, rich, | shade, April-May | | | | .20 | 1.50 | 10.00 | Here |
| XX Grade | | | | | .15 | 1.00 | 5.00 | |
| Firsts | | | | | .10 | .50 | 2.50 | |
| Seconds | | | | | | | | |
| (Ask for prices in large lots) | | | | | | | | |
| Mitella diphylla, Two Leaved Bishop's | Cap, rich woods, white, April-May | | | | .15 | 1.25 | 6.00 | Ind. |
| April-May | | | | | .15 | 1.25 | 6.00 | Ind. |
| Monarda fistulosa, Pink Horsemint, | sun-sod, pink, July-Sept. | | | | .15 | .60 | 4.00 | Here |
| Nepeta cataria, Catnip (biennial) | anywhere, white, June-on | | | | .10 | .40 | 3.00 | Here |

| Botanical name | Common name | Where it grows | Color of flower | Time of bloom | Each | 10 | 100 | Where Native |
|---|-------------|----------------|-----------------|---------------|------|------|-------|--------------|
| Oenothera biennis, Common Evening Primrose, (biennial) sun, yellow, June-Sept. 1 yr. | | | | | .10 | .50 | 4.00 | H&M. |
| Oenothera speciosa, Showy Evening Primrose, sun, white-pink, May-August | | | | | .20 | 1.50 | 10.00 | Here |
| Orchis spectabilis, Showy Orchids, rich woods, pink, April-June | | | | | .25 | 2.25 | 17.50 | Ind. |
| Oxalis violacea, Violet Sheep Sorrel, sun-sod, violet, May | | | | | .10 | .50 | 4.00 | Here |
| Panax quinquefolia, Ginseng, rich shade, white, May-June | | | | | .10 | .75 | 5.00 | Ga.N.C.&H. |
| Parnassia caroliniana, Grass of Parnassus, swamps, white, June-September | | | | | .10 | .60 | 4.50 | Mich. |
| Pedicularis canadensis, Wood Betony, sun, yellow, May | | | | | .15 | 1.00 | 7.50 | Here |
| Pentstemon hirsutus, Hairy Beards Tongue, sun-sod, Pink-White, June-July | | | | | .10 | .75 | 5.00 | Ind. |
| Penstemon grandiflorus, Large Fld. Beardstongue, open sun, large, blue, May-July | | | | | .15 | 1.00 | 7.50 | |
| Pentstemon albidus, Wh. B., open sun, White, June-Aug. | | | | | .15 | 1.00 | 6.50 | |
| Petalostemum candidum, White Prairie Clover, sun-sod, July-Aug. | | | | | .15 | .75 | 5.00 | Here |
| Petalostemum villosum, Purple Prairie Clover, sun-sod, July-Aug. | | | | | .15 | .75 | 5.00 | Here |
| Phlox bifida, Cleft Phlox, dry places, mixed, April-June | | | | | .15 | 1.00 | 7.00 | Here |
| Phlox bifida alba, White Cleft Phlox, dry places, April-June | | | | | .15 | 1.25 | 9.00 | Here |
| Phlox divaricata alba, White Sweet Williams, open woods, white, May-June | | | | | .15 | 1.00 | 8.00 | Here |
| Fhlox divaricata, Sweet Williams, open woods, Lilac to Blue, May-June | | | | | | | | Here |
| Phlox glaberrima, Tall Wild Prairie Phlox, Prairies, Pink, June-July | | | | | | | | Here |
| Phlox pilosa, Dwarf Prairie Phlox, prairies, red, May-June | | | | | | | | Here |
| Either of the above unpriced plants | | | | | | | | |
| of 1 stem | | | | | .10 | .25 | 1.50 | |
| 2 to 4 stems | | | | | .10 | .50 | 4.00 | |
| 5 to 6 stems | | | | | .15 | 1.00 | 7.00 | |
| 7 to 10 stems | | | | | .20 | 1.50 | 10.00 | |
| 10 stems up | | | | | .25 | 2.00 | 15.00 | |
| Phlox pilosa alba, White Prairie Phlox, open sun, May-June | | | | | .15 | 1.00 | 8.00 | Here |
| Phlox subulata, Ground Phlox, anywhere, pink, lavender and white, April-June, Divisions | | | | | .15 | 1.00 | 6.00 | Nur. |
| Physostegia virginiana, False Dragon Head, sun-sod, pink, June-August | | | | | .15 | .75 | 5.00 | Here |
| Physostegia virginiana alba, White False Dragon Head, sun-sod, white, May-September | | | | | .15 | .80 | 6.00 | Nur. |
| Podophyllum peltatum, May Apples, Mandrake, open shade, white, May-June | | | | | .10 | .60 | 4.00 | Here |
| Polemonium reptans, Greek Valerian, rich shade, blue, May | | | | | .15 | .60 | 5.00 | Here |
| Polygonatum biflorum, Solomon Seal, shade, green-white, May | | | | | .10 | .65 | 5.00 | Here |
| Polygonatum commutatum, Giant Solomon Seal, shade, green-white, May | | | | | .15 | 1.00 | 7.00 | Here |
| Prunella vulgaris, Selfheal, waste places, violet, May-October | | | | | .15 | 1.00 | 6.00 | Mich. |
| Pyrola elliptica, Shinleaf, dry shade, green-white, May | | | | | .10 | .75 | 6.00 | Ind. |
| Ranunculus acris, Common Buttercup, borders or sun, yellow, May | | | | | .10 | .60 | 4.50 | H&M |
| Ranunculus repens, Creeping Buttercup, sun, yellow, May | | | | | .10 | .60 | 4.00 | H&M. |
| Rudbeckia laciniata, Wild Golden Glow, open shade, yellow, July-August | | | | | .15 | .60 | 4.00 | Here |
| Ruellia pendunculata, Stalked Ruella, sun, light purple, June-Aug. | | | | | .15 | 1.00 | 6.00 | Here |
| Sanguinaria canadensis, Blood Root, deep shade, white, April-May | | | | | .10 | .50 | 4.00 | Here |
| Saponaria officinalis, Bouncing Bet, anywhere, pink, June-Oct. | | | | | .15 | .65 | 4.50 | Here |
| Sarracenia purpurea, Pitcher Plant, bogs, purple, June | | | | | .15 | .65 | 5.00 | Mich. |
| Saururus cernuus, Lizard's Tail, swamps, white, June-August | | | | | .15 | 1.00 | 7.00 | Here |
| Saxifraga pennsylvanica, Swamp Saxifraga, swamps, green, May | | | | | .15 | 1.25 | 8.00 | Ind. |
| Scutellaria valericulata, Skull Cap, moist places, violet, June-Aug. | | | | | .15 | 1.00 | 6.00 | Here |
| Sedum ternatum, Wild Stone Crop, rocky woods, Aug.-Sept. | | | | | .10 | .50 | 4.00 | Ind. |
| Senecio aureus, Golden Ragwort, open, dry woods, yellow, May-July | | | | | .15 | .75 | 5.00 | Here |
| Silene pennsylvanica, Wild Pink, dry, rocky soil, pink, May-Sept. | | | | | .20 | 1.50 | 10.00 | Mich. |
| Silene stellata, Star Campion, open shade, white, July | | | | | .15 | .75 | 5.50 | Here |
| Silene virginica, Fire Pink, dry woods, bright red, May-June | | | | | .15 | 1.00 | 6.50 | Ind. |
| Silphium laciniatum, Compass Plant, sun-sod, yellow, July-Aug. | | | | | .20 | 1.50 | 8.00 | Here |
| Silphium perfoliatum, Indian Cup, rich, damp soil, yellow, July-September | | | | | .20 | 1.50 | 7.50 | Here |
| Silphium terebinthaceum, Prairie Dock, sun, yellow, July-August | | | | | .20 | 1.75 | 9.00 | Here |
| Sisyrinchium angustifolium, Blue Eyed Grass, sun-sod, blue, May-June, Clumps | | | | | .15 | .75 | 5.00 | Here |
| Smilacina racemosa, False Solomon Seal, open woods, white, May-July | | | | | .15 | .75 | 5.00 | Here |
| Smilacina stellata, Star Flowered Solomon Seal, moist shade, white, May-July | | | | | .15 | .75 | 5.00 | Ind. |
| Solidago canadensis, Canadian Golden Rod, open sun, borders, August-October | | | | | .15 | .80 | 5.00 | H.M.&I. |
| Solidago, Golden Rod, assorted, open sun, yellow, Aug.-Oct. | | | | | .15 | .75 | 4.50 | H.M.&I. |
| Solidago bicolor, White, G. rod | | | | | .15 | 1.00 | 8.00 | Vt. |
| Spiranthes cernua, Lady's Tresses, swamps, white, Aug.-Oct. | | | | | .15 | 1.00 | 8.00 | Mich. |
| Stylophorum diphyllum, Yellow Poppo, Calendine, rich, open woods, yellow, May-September | | | | | .20 | 1.50 | 10.00 | Ind. |
| Symplocarpus foetidus, Skunk Cabbage, bogs, yellow, February-March | | | | | .20 | 1.50 | 10.00 | Here |
| 1 Yr. Seedlings | | | | | .15 | .75 | 6.00 | Here |

| Botanical name | Common name | Where it grows | Color of flower | Time of bloom | Each | 10 | 100 | Where Native |
|---|-------------|----------------|-----------------|---------------|------|------|-------|--------------|
| Tanacetum vulgare, Tansey, anywhere, yellow, June | | | | | .15 | .60 | 4.50 | Here |
| Thalictrum dioicum, Dwarf Meadow Rue, open woods, greenish white, April-May | | | | | .15 | 1.00 | 5.00 | Mich. |
| Thalictrum polygamum, Tall Meadow Rue, open shade, white, June-July | | | | | .15 | .75 | 4.50 | Here |
| Tradescantia bracteata, Dwarf Pink Spiderwort, open shade, pink, May-July, singles | | | | | .15 | 1.00 | 9.00 | Here |
| Tradescantia pilosa, Zig Zag Spiderwort, moist, open shade, lilac-blue, June-Sept., singles | | | | | .10 | .60 | 4.00 | Here |
| Tradescantia virginica, Spiderwort, sun or woods, purplish, May-August, singles | | | | | .10 | .60 | 3.00 | Here |
| Small Clumps | | | | | .15 | 1.00 | 6.00 | Here |
| Tradescantia virginica alba, White Spiderwort, anywhere, white, May-August | | | | | .20 | 1.50 | 11.00 | Nur. |
| Tradescantia virginica nina, Dwarf Blue Spiderwort, anywhere, blue, April-July, Singles | | | | | .10 | .75 | 5.00 | Here |
| Small Clumps | | | | | .15 | 1.25 | 8.00 | |
| Trillium grandiflorum, Large White, Trilliums, shade, white, May-June | | | | | | | | |
| XX grade | | | | | .15 | 1.00 | 5.00 | Here |
| Firsts | | | | | .10 | .75 | 3.00 | Here |
| Seconds | | | | | .10 | .30 | 1.00 | Here |
| Trillium nivale, Dwarf White Trilliums, deep shade, white, early April | | | | | .10 | .60 | 4.00 | Here |
| Trillium recurvatum, Brown Trillium, open shade, May-June | | | | | .10 | .50 | 3.50 | Here |
| Triosteum, perfoliatum, Horse Gentian, open shade, purple, May-June | | | | | .20 | 1.50 | 10.00 | Here |
| Typha latifolia, Cat Tails, swamps, yellow, July-Aug. | | | | | .15 | 1.00 | 7.00 | Here |
| Uvularia perfoliata, Bellwort, rich shade, yellow, May-June | | | | | .10 | .60 | 5.00 | Here |
| Verbascum thapsus, Great Common Mulen (Biennial), pastures, yellow, June-Sept. | | | | | .10 | .75 | 5.00 | Ind. |
| Verbena hastata, Blue Verbane, moist places, sun, purple, July-Sept. | | | | | .15 | .60 | 5.00 | Here |
| Verbena stricata, Mullen Leaved Verbane, dry pastures, blue, August-Sept. | | | | | .15 | .50 | 3.00 | Here |
| Vernonia altissima, Tall Iron Weed, open sun, violet, July-Oct. | | | | | .20 | 1.00 | 6.00 | Here |
| Veronica virginica, Culvers Root, open shade, white, July-August | | | | | .15 | .60 | 4.00 | Here |
| Viola blanda, White Violet, moist, open shade, May-June | | | | | .10 | .50 | 4.00 | Here |
| Viola canadensis, Canada Violet, wooded hillsides, white, May-September | | | | | .10 | .60 | 4.50 | Mich. |
| Viola lanceolata, Lance Leaf or White Violet, bogs, white, April-June | | | | | .15 | 1.00 | 7.00 | Ind. |
| Viola palmata, Palm Leaved Violet, sun-sod, blue, May-June | | | | | .10 | .60 | 5.00 | Here |
| Viola papilionacea, Common Blue Violets, open shade, May-June | | | | | .10 | .40 | 3.00 | Here |
| Viola pedata, Bird's Foot Violet, sun-sod, blue, May-June, singles | | | | | .10 | .50 | 3.00 | Here |
| Small Clumps | | | | | .15 | .75 | 7.00 | Here |
| Viola pedata bicolor, Two Colored Bird's Foot Violet, sun, all summer, dark and light blue, singles | | | | | .15 | 1.25 | 8.00 | Here |
| Small Clumps | | | | | .25 | 2.00 | 15.00 | Here |
| Viola pubescens, Common Yellow Violet, open shade, yellow, May | | | | | .10 | .50 | 4.00 | Here |
| Viola sagittata, Oval Leaved Violet, fields, and hillsides, violet, April-May | | | | | .15 | 1.00 | 7.00 | Ind. |
| Viola triloba, Three lobed Violet, dry woods, deep violet, April-May | | | | | .15 | 1.00 | 6.50 | Ind. |
| Nearly all violets have a light, Fall blooming season. | | | | | | | | |

FERNS

These may be moved at almost any season but handle best in Fall, and well in Spring. If moved in growing season, tops on, crating tops, added at cost.

Prices for regular grades. Light plants cheaper, Extra heavy, higher.

| Botanical name | Common name | Where it grows | Color of flower | Time of bloom | Each | 10 | 100 | Where Native |
|--|-------------|----------------|-----------------|---------------|-------|--------|---------|--------------|
| Adiantum pedatum, Maiden Hair, banks or flats, Light sods | | | | | \$.10 | \$.50 | \$ 2.50 | Here |
| Medium sods | | | | | .15 | .75 | 4.50 | Here |
| Heavy Sods | | | | | .20 | 1.25 | 9.00 | Here |
| Asplenium angustifolium, Narrow Leaved Spleenwort, shade | | | | | .15 | 1.00 | 7.00 | H&I. |
| Asplenium Felix femina, Lady Fern, open shade | | | | | .15 | 1.00 | 8.00 | Here |
| Asplenium thelypteroides, Silvery Spleenwort, rich woods | | | | | .15 | 1.00 | | Ind. |
| Botrychium ternatum, Ternate Grape Fern, rather dense shade, rich soil | | | | | .15 | 1.25 | 10.00 | Here |
| Cystopteris bulbifera, Bulbet Bladder Fern, moist flats | | | | | .10 | .60 | 4.00 | Ind. |
| Cystopteris fragilis, Fragile Bladder Fern, moist flats | | | | | .10 | .50 | 3.00 | Here |

| Botanical name | Common name | Where it grows | Color of flower | Time of bloom | Each | 10 | 100 | Where Native |
|---------------------------|----------------------------|--------------------|-----------------|---------------|------|------|-------|--------------|
| Dicksonia punctilobula, | Hay Scented Fern | ----- | ----- | ----- | .10 | .50 | 2.50 | Tenn. |
| Dryopteris hexagonoptera, | Broad Beech Fern, | shade | ----- | ----- | .10 | .60 | 4.00 | Here |
| Onoclea sensibilis, | Sensitive Fern, | flats | ----- | ----- | .15 | .75 | 5.50 | Here |
| Onoclea struthiopteris, | Ostrich Fern, | good foundation | fern | ----- | .20 | 1.50 | 9.00 | M.&N.Y. |
| Osmunda cinnamomea, | Cinnamon Fern, | hillsides, | open shade | ----- | .20 | 1.25 | 8.00 | T.&N.C. |
| Osmunda claytonia, | Interrupted Fern, | hillsides, | open shade | ----- | .25 | 1.50 | 9.00 | N.C. |
| Osmunda regalis, | Royal Fern, | hillsides, | open shade | ----- | .20 | 1.25 | 8.00 | T.&N.C. |
| Pollaea atropurpurea, | Purple Cliff Break, | Limestone Cliffs | ----- | ----- | .15 | 1.25 | 9.00 | Ind. |
| *Polypodium vulgare, | Common Polypody Fern, | Rock and Log cover | ----- | ----- | .10 | .75 | 4.50 | Mich. |
| *Polystichum (Aspidium) | acrostichoides, Christmas | (Evergreen) | ----- | ----- | .10 | .50 | 4.25 | H.T.I. |
| Polystichum (Aspidium) | goldianum, Goldies Fern, | rich woods | ----- | ----- | .25 | 1.50 | 12.50 | I.&M. |
| *Polystichum (Aspidium) | marginale, Evergreen Wood, | rich shade | ----- | ----- | .15 | .75 | 6.50 | M.&N.Y. |
| *Polystichum (Aspidium) | spinulosum, Spinulose Wood | (Evergreen) | ----- | ----- | .15 | .75 | 6.00 | M.&Vt. |
| Polystichum (Aspidium) | thelypteris, Marsh Fern | ----- | ----- | ----- | .15 | 1.00 | 5.00 | Here |
| Pteris aquilina, | Brake, Eagle Fern, | stands lots of sun | ----- | ----- | .15 | 1.00 | 7.00 | H.I.&M. |
| Mixed lots, taller, | to finish 18 in. up | ----- | ----- | ----- | .15 | 1.00 | 6.50 | Here |
| Mixed lots of Ferns | to suit our convenience | ----- | ----- | ----- | .10 | .75 | 5.00 | H.&I. |

* Sorts with this mark are evergreen.

VINES

| Botanical name | Common name | Where it grows | Color of flower | Time of bloom | Each | 10 | 100 | Where Native |
|--------------------------|--------------------------------------|------------------|-------------------------|---------------------------|-------|--------|-------|--------------|
| Ampelopsis englemanni, | Clinging Am. Ivy, | 3 Yr. Heavy | ----- | ----- | \$.25 | \$2.00 | | Nur. |
| Ampelopsis englemanni, | collected, (mixed some with Am. Ivy) | R.L. | ----- | ----- | .10 | .75 | 5.00 | Here |
| Ampelopsis quinquefolia, | American Ivy, | rooted layers | ----- | ----- | .10 | .50 | 4.00 | Here |
| Medium plants | ----- | ----- | ----- | ----- | .15 | 1.25 | 8.00 | Here |
| Heavy, Nursery grown | ----- | ----- | ----- | ----- | .20 | 1.50 | | Here |
| Apois tuberosa, | Ground Pea, | brownish purple, | moist places | ----- | .15 | 1.00 | | Ind. |
| Callirhoe involucrata, | Low Poppy Mallow, | violet-red, | May-Nov. | ----- | .15 | 1.00 | 7.50 | Here |
| Celastrus scandens, | Bittersweet, | thickets, | red berries | ----- | .15 | 1.00 | 5.00 | Here |
| Clematis viorna, | Leather Flower, | sun-sod, | blue, July-Aug. | ----- | .20 | 1.50 | 10.00 | Here |
| Clematis virginiana, | Virgins Bower, | border thickets, | white, August-September | ----- | .15 | 1.00 | 6.50 | H.M.&I. |
| Convolvulus arvensis, | Lesser Binder Weed, | sun, | pink-white, July-Sept. | ----- | .15 | .75 | 5.00 | Here |
| Convolvulus sepium, | Greater Binder Weed, | sun, | pink, June-Sept. | ----- | .15 | .75 | 5.00 | Here |
| Dioscorea villosa, | Wild Yam, | underbrush, | greenish-red, | June-July | .15 | 1.00 | 7.50 | Here |
| Euonymus obovatus, | Trailing Waahoo, | shade, | greenish-yellow, | April | .10 | .60 | 3.00 | Ind. |
| Gaultheria procumbens, | Spicy Wintergreen, | shade, | white, July, | Clumps | .20 | 1.50 | 7.00 | M.&N.C. |
| Humulus lupulus, | Hop Vine, | anywhere, | yellow, July | ----- | .15 | 1.00 | 5.00 | Here |
| Ipomoea pandurata, | "Man of the Earth", | river bottoms, | purple, | May-September | .75 | 5.00 | 35.00 | Here |
| Lonicera dioica, | Wild Yellow Honeysuckle, | yellow, | anywhere, | May-June | .20 | 1.00 | 7.00 | Here |
| Lycium halimifolium, | Matrimony Vine, | purple, berries, | orange red, | May-August | .15 | 1.00 | 7.00 | Here |
| Lysimachia nummularia, | Money Wort, | moist places, | June-August | ----- | .10 | .50 | 3.00 | Here |
| Menispermum canadense, | Wild Sarsaparille, | thickets, | white, | May | .15 | 1.00 | 5.00 | Here |
| Mitchella repens, | Partridge Berry, | shade, | white, April-May, | Clumps | .20 | 1.25 | 7.00 | Here |
| Nepeta hederacea, | Ground Ivy, | shade, | purple, May-June | ----- | .10 | .50 | 3.00 | Here |
| Smilax herbacea, | Carrian Flower, | moist meadows, | border, white, | black berries, April-June | .20 | 1.00 | 6.50 | Here |
| Smilax rotundifolia, | Cat Brier, | moist thickets, | blue berries | ----- | .20 | 1.00 | 7.00 | Here |
| Tecoma radicans, | Trumpet Creeper, | anywhere, | orange-scarlet, | all Summer | .20 | 1.00 | 6.00 | Here |
| Vinca minor, | Ground Myrtle, | anywhere, | blue, May-June | ----- | .15 | .60 | 3.50 | H.M.&I. |
| Vitis, | Wild Grape, | mixed seedlings, | anywhere, | yellow, May, Fragrant | .15 | .75 | 4.00 | Here |

SHRUBS

| Botanical name | Common name | Where it grows | Color of flower | Time of bloom | Each | 10 | 100 | Where Native |
|--|-------------|----------------|-----------------|---------------|--------|---------|---------|--------------|
| Shrubs, Trees and Vines, with woody tops, must now be inspected, before shipping them out. PLEASE SEND ORDERS EARLY to allow us to collect them for inspection all together. Later orders must be sent on to Urbana for inspection, causing loss of time and money. Late orders will be delayed for this inspection. Early orders are gotten together, and an inspector comes out and inspects all together. Perennials require no inspection in this state. This explanation may save you vexation, account of delays on late orders, for inspection of woody topped items. | | | | | | | | |
| Ceanothus americanus, New Jersey Tea, white, July | | | | ----- | \$.15 | \$ 1.00 | \$ 7.00 | Here |
| Cornus florida, White Flowering Dogwood, white, June-July, 2 to 3 ft. New York | | | | ----- | .15 | 1.00 | 8.00 | N.Y. |
| Cornus paniculata, Brown Dogwood, white, June-July, 2 to 3 ft. | | | | ----- | .15 | 1.00 | 6.00 | Here |
| Cornus stolonifera, Red Osier Dogwood, succors, white, May-August, 18 to 36 in. | | | | ----- | .15 | .75 | 5.50 | Mich. |
| Corylus americana, Hazel Nut, Succors, 2 to 3 ft. | | | | ----- | .15 | .75 | 4.00 | Here |
| Clumps 3 to 4 ft. | | | | ----- | .25 | 1.50 | 10.00 | Here |
| Crataegus, Mixed Sdgs, white, May, 2 to 3 ft. | | | | ----- | .20 | 1.50 | 10.00 | Here |
| Diervilla trifida, Wild Weigela, pale yellow, May-Sept., 6 to 18 in. | | | | ----- | .15 | 1.00 | 6.00 | N.Y. |
| Euonymus americana, Brook Waahoo, purple, June, 2 to 3 ft. | | | | ----- | .15 | .75 | 6.00 | Tenn. |
| Euonymus atropurpurea, Waahoo, purple, June, 2 to 3 ft. | | | | ----- | .15 | 1.00 | 7.00 | Here |
| Hydrangea aborescens, Wild Hydrangea, white, June-July, Succors | | | | ----- | .15 | .75 | 4.00 | Here |
| Clumps | | | | ----- | .25 | 1.50 | 10.00 | Here |
| Malus coronaria, Wild Crab, pink, May, succors, 2 to 4 ft. | | | | ----- | .15 | .80 | 6.00 | Here |
| Prunus americana, Transplanted, 5 to 7 ft. | | | | ----- | .35 | 3.00 | 22.50 | |
| Rhus canadensis (Aromaticum) Fragrant Sumac, anywhere, yellow, May-June, 18 to 36 in. | | | | ----- | .15 | 1.25 | 10.00 | Here |
| Rhus canadensis, 36 to 41 in. | | | | ----- | .30 | 2.50 | 20.00 | Nur. |
| Rhus copallina, Dwarf Sumac, green, August, 1 to 2 ft. | | | | ----- | .15 | .75 | 5.00 | Tenn. |
| Rhus glabra, Smooth Sumac, anywhere, white, July, 2 to 3 ft. | | | | ----- | .10 | .50 | 4.00 | Here |
| Rhus typhina, Staghorn Sumac, anywhere, white, July, 2 to 4 ft. | | | | ----- | .15 | .75 | 6.00 | N.Y. & Tenn. |
| Ribes, Wild Gooseberry, open woods, yellow, April | | | | ----- | .15 | .75 | 5.00 | Here |
| Rosa blanda, Smooth Wild Rose, pink, June-July, anywhere | | | | ----- | .15 | .75 | 5.00 | H. & Mich. |
| Rosa humilis, Dwarf Prairie Rose, pink, sun-sod, June-September | | | | ----- | .15 | .85 | 5.00 | Here |
| Rosa lucida, Thorny Rose, pink, anywhere, June-July | | | | ----- | .15 | .75 | 5.00 | Mich. |
| Rosa nitida, Dwarf Rose, pink, May-July | | | | ----- | .15 | .75 | 5.00 | Here |
| Rosa setigera, Prairie Climbing Rose, open border, pink, June-July | | | | ----- | .15 | 1.25 | 8.00 | Here |
| Rubus, Wild Blackberry, sun or open shade | | | | ----- | .10 | .50 | 3.00 | Here |
| Rubus, Wild Raspberry, (black), sun or open shade | | | | ----- | .10 | .50 | 3.00 | Here |
| Rubus, Wild Dewberry, open sun | | | | ----- | .15 | .60 | 4.00 | Here |
| Rubus odoratus, Flowering Raspberry, violet, anywhere, June-Sept. | | | | ----- | .15 | .80 | 6.00 | N.Y. & M. |
| Sambucus canadensis, Black Berried Elder, white, June-July, 2 to 4 ft. | | | | ----- | .10 | .50 | 3.50 | Here |
| Sassafras variifolium, Sassafras, (hard to Transp.) | | | | ----- | .15 | 1.00 | 8.00 | Here |
| Staphylea trifolia, Bladder Nut, yellow, June, 2 to 4 ft. | | | | ----- | .13 | .80 | 6.00 | Here |
| Symphoricarpos vulgaris, Indian Currant, 15 to 30 in. | | | | ----- | .15 | .60 | 4.00 | Here |
| Viburnum acerifolium, Maple Leaved Arrow Wood, white, May, 1 to 3 ft. | | | | ----- | .15 | .75 | 5.00 | T. & N.Y. |
| Viburnum prunifolium, Black Haw, white, May, 2 to 3 ft. | | | | ----- | .15 | 1.00 | 6.00 | Here |
| Zanthoxylum americanum, Prickly Ash, open shade, yellow, red berries, May, 2 to 3 ft. | | | | ----- | .15 | 1.00 | 5.00 | Here |

HOPEDALE NURSERIES
Hopedale, Illinois